





APEM IN DEFENCE GROUND B

For more than 70 years, APEM has been collaborating with leading Defence companies. Given this experience no one knows better that military applications require field proven and foolproof HMIs capable of operating under extreme conditions with consistent reliability.

APEM provides one of the widest ranges of customisable MIL-grade and CECC certified HMI solutions, including control panels, joysticks, pushbutton and toggle switches, and LED indicators. Temperature, dust, water, heavy shock, vibration... No condition is too extreme for our engineered solutions.

GROUND EQUIPMENT



A BROAD RANGE OF PRODUCTS AND SOLUTIONS

APEM OFFERS

1 STAND-ALONE MIL-GRADE COMPONENTS AND PRODUCTS

PANEL SWITCHES PC

PCB SWITCHES

LED INDICATORS

JOYSTICKS

PANEL SOLUTIONS











2 FULL MIL AND CECC CERTIFICATION ON PRODUCTS

Defence equipment and vehicles must withstand dust, water, heavy shock and vibrations as well as extreme temperatures while guaranteeing 100% RELIABILITY.

APEM has 70 years experience as an HMI specialist in the either Defence Industry, delivering robust, field proven HMI components and integrated control solutions to its customers.







3 CAPABILITY TO BUILD CUSTOMISED CONTROL PANEL SOLUTIONS



APEM has developed a unique expertise in the creation of integrated custom-made ruggedised control panels with MIL-grade electronics and software.
Our design, qualification and testing processes are compliant with military standards such as MIL-STD-810, MIL-STD-1472 and MIL-STD-461.

YOU HAVE **SPECIFIC NEEDS WE HAVE INNOVATIVE AND ROBUST SOLUTIONS**





ROBUSTNESS is essential in building trust with the machine

12000 & 13000 SERIES

The 12000 & 13000 series are designed to withstand the harshest environments. These compact and robust pushbutton and toggle switches are the perfect solution to trust your military equipment.



CONTROL driven by innovation.

JOYSTICKS

Discover how our range of joysticks helps military professionals easily control a growing number of vehicle functions.







PRECISION to perfectly interact with complex machines

THUMBSTICKS

In the military context, errors are not an option. Our thumbsticks enable users to achieve the high level of precision they require in every application.



CUSTOMISATION For a simplified & unique experience

CONTROL PANELS

We understand that HMIs must simplify the way operators interact with a vehicle. By leveraging our experience, we can help you build a unique, robust and reliable control panel, perfectly designed for your requirements.

HOW OUR PRODUCTS ARE USED

ON **EOUIPMENT**



to high vibration





for extreme conditions



ORM AND O SERIES LED Indicators with NVIS filters



KR AND KL SERIES Robust rocker switches



MSG, CSG SERIES Switch Guards



12000 & 13000 SERIES Highly reliable toggle switches and pushbuttons



MILITARY GRADE KEYBOARDS



HS AND NV SERIES Switch based thumbsticks

ON FIELD INSTRUMENTS

High-performance switches

for interface solutions

FG SERIES CONTROLLERS

Small and robust pushbuttons,

CECC and MIL approved

Proportional thumbsticks

Ideal for military applications subject



IA SERIES





MEC PRODUCTS Rugged long-life PCB switches

IP, IZ, IA, IC, IM, IB-IS, AV Small and robust pushbuttons



12000 & 13000 ACCESSORIES Sealing boots, guards





ON PERSON EQUIPMENT

Reliable pushbuttons

for harsh environments

Low profile pushbuttons



TW, CW AND HR SERIES
Thumbwheels



QRM AND Q SERIES Indicators

13000 SERIES

for extreme conditions



12000X778 & 13000X778 Small, robust lever and pushbuttons



to CECC, MIL approved

Metal emergency stop switches

MEC PRODUCTS Microswitches

TS SERIES



3000 AND HF SERIES Finger control joysticks

Proportional thumbsticks

Switch based thumbsticks


HS AND NV SERIES

MORE THAN JUST MIL-GRADE COMPONENTS...

Our unique expertise enables us to go beyond only supplying HMI components. We see ourselves as partners whose goal is to help you build the perfect and reliable HMI solution based on your specific needs. Over the years, we have built many custom solutions that integrate some of the latest HMI-related technologies. For instance, custom control panels for ground vehicles, remote controllers for UAVs, etc.



CAPABILITY TO ADD ELECTRONICS AND SOFTWARE FUNCTIONS*



^{*} APEM assesses each project in light of export control regulations

APEM RELIABILITY

- 70 YEARS EXPERIENCE IN MILITARY HMI PRODUCTS
- VERTICALLY INTEGRATED
- PRODUCT DESIGNS AND QUALIFICATIONS BASED ON MIL STD 810, 1472 AND 461
- MILITARY PRODUCTS ARE 100% TESTED
- QPL PRODUCTS (MIL-DTL-3950 AND MIL-DTL-83731)
- CECC QUALIFIED PRODUCTS (CECC 96201 & 96401)
- NATO MANUFACTURER CODE F7507

SOME OF OUR LATEST PROJECTS INCLUDE:

MILITARY TRUCKS USED BY SEVERAL EUROPEAN ARMIES

We designed a keyboard with new functions and backlighting feature with electronic communication. Product supplied: 12000, TS, switch guards.



ARMORED VEHICLES USED BY NATO

We built the control panel used to interact with some of the vehicle functions and the HMI related to the remote weapon station.

Products supplied: 12000X778, Q8, Q6.








HIGH-CAPACITY RADIO RELAYS (HCRR) USED BY SEVERAL ARMIES

We created the ON-OFF function switch, cable and connector assembly needed. We also worked on the membrane keyboard used for cryptography features. Products supplied: 12000, 13000, membrane keyboard.




WHETHER IT'S A STANDARD PRODUCT OFFERING OR A CUSTOMISED SOLUTION,






JOYSTICKS

S	NV SERIES	29
	NAVIGATOR SWITCHES FOR EASY AND ACCURATE MENU SELECTION	













FG SERIES 35 RUGGED OPERATION FOR HIGH **VIBRATION APPLICATIONS**

PANEL SWITCHES



989	WP SERIES	13
-	LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS	
	WPG SERIES	14
ъ	RESTRICTION OF CRITICAL FUNCTIONS	
	MSG AND 90 SERIES	15
	TO SECURE CRITICAL FUNCTIONS	
0	SEALING BOOTS	16

ADDITIONAL SEALING BARRIERS

_	MULTIMEC 5 SERIES							
	ABSOL	UTE RELIABILITY AND FUI	NCTIONALIT					
		LED INDICATORS						

LARGE VARIETY OF SIZES AND COLOURS

ORM SERIES

PCB SWITCHES



28

26

PANEL SOLUTIONS

	RUGGEDISED KEYBOARD	37
and the	PRODUCT FOR THE TOUGHEST ENVIRONME	NTS



12000X778 SERIES

MIL SPEC TOGGLE SWITCHES

TOP APPLICATIONS:

MILITARY VEHICLES, TACTICAL HEADSETS, UNMANNED VEHICLE CONTROLS



THE BEST TOGGLE FOR MILITARY APPLICATIONS

• CECC 96201-005 & 008 approvals • Easy to customise: finish, levers with or without locking • MIL 3950 & 83731 QPL • Suitable for immersion (IP68) • Compact behind panel (50% more compact (width/depth) than MS2452 products) MAXIMUM BUSHING MOUNTING TERMINAL MECHANICAL LIFECYCLES ILLUMINATION APPROVALS POLES SEALING SERIES **RATINGS** DIMENSIONS OPTIONS OPTIONS 150.000 cycles Solder lugs, PCB Ø11,9 mm 100.000 cycles MIL-DTL-3950 MIL-DTL-83731 2,3,4 4 A 30 VDC 12000X778 No witches with 3 maintained positions) - Through hole 50.000 cycles (momentary functions 7, 8, 4-1R, 4-2R, 5)

12000 SERIES

PROFESSIONAL TOGGLE SWITCHES

TOP APPLICATIONS: REMOTE CONTROLS



RELIABLE PRODUCTS

• CECC 96201-005 & 008 approvals

- Easy to customise: finish, levers with or without locking
- Optional sealing

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
12000	150.000 cycles (switches with 2 maintained positions) 100.000 cycles (switches with 3 maintained positions)	CECC	2,3,4	4 A 30 VDC	Ø11,9 mm (15/32)	Solder lugs, PCB	Panel - Vertical - Through hole	Optional	No

13000X778 SERIES

MILITARY GRADE QUICK-BREAK MOMENTARY PUSHBUTTON SWITCHES

TOP APPLICATIONS: WEAPON FUNCTIONS, MILITARY VEHICLES, MILITARY GRIPS



HIGH RELIABILITY PUSHBUTTONS

• Up to three poles • Large actuator version is compliant with MIL-STD-1472F • Suitable for immersion up to 10 m • CECC 96401-001 approval MAXIMUM BUSHING MOUNTING TERMINAL MECHANICAL LIFECYCLES APPROVALS ILLUMINATION POLES SEALING SERIES RATINGS DIMENSIONS OPTIONS OPTIONS Solder lugs, PCB Ø11,9 mm 150.000 cycles 2,3 4 A 30 VDC 13000X778 CECC Up to IP68 No - Through hole

13000 SERIES

MILITARY GRADE PUSH-PULL SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



RUGGED PUSH SWITCHES

• Sealed up to IP65, IP67 & IP69K • Compact body for space saving (13000) • Large actuator for ease of operation MAXIMUM BUSHING TERMINAL MOUNTING MECHANICAL LIFECYCLES APPROVALS SERIES POLES SEALING ILLUMINATION RATINGS DIMENSIONS OPTIONS OPTIONS 10.000 cycles Solder lugs, PCB Ø15 mm 13000 2,3 4 A 28 VDC N/A Panel IP65 No

WP SERIES

MILITARY GRADE MOMENTARY PUSHBUTTON SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS

	d up to IP67 & IP69K actuator for ease of opera		Compact behind the panel						
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WP	50.000 cycles	N/A	2	4 A 30 VDC	Ø22 mm (.87)	Solder lugs, PCB	Panel	IP67; IP69K	No

WPG SERIES

SWITCH GUARDS

TOP APPLICATIONS: MILITARY CONTROL PANELS



RESTRICTION OF CRITICAL FUNCTIONS

• Preve • Latch	ents accidental operation iing								
SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
WPG	N/A	N/A	N/A	N/A	Ø22 mm (.87)	N/A	Panel	Yes	No

MSG AND 90 SERIES

SWITCH GUARDS

TOP APPLICATIONS: MILITARY CONTROL PANELS, MILITARY VEHICLES



TO SECURE CRITICAL FUNCTIONS

• Many switch guard types available • Compatible with MIL3950 and MIL83731 toggles MAXIMUM BUSHING MOUNTING MECHANICAL LIFECYCLES APPROVALS SEALING ILLUMINATION SERIES POLES **RATINGS** Ø11,9 mm MSG (15/32) Ø12 mm (.472) 20,000 cycles N/A N/A Panel N/A

SEALING BOOTS

TOGGLE & PUSHBUTTON BOOTS

TOP APPLICATIONS: ALL OUTDOOR AND HARSH ENVIRONMENTS



ADDITIONAL SEALING BARRIERS

- Available for toggle and pushbutton switches
- Fast customisation to accommodate any actuator length

• Wide variety of shapes & colours

• Available in silicone and neophrene

SERIES	BOOT MATERIAL	NUT MATERIAL	OPERATING TEMPERATURE		TEMPERATURE RANGE		ELASTICITY	MECHANICAL
		NOTWATERIAL			Low	High	ELASTICITY	RESISTANCE
	Neoprene	Brass,	Silicone	-40 °C to +85 °C	Best	Best	Best	Good
Boots	Boots recoprene or silicone	Nickel plated, Matt black	Neoprene	-20 °C to +50 °C	Good	Better	Good	Best

IA, IX SERIES

DUSTPROOF PUSHBUTTON SWITCHES

TOP APPLICATIONS: REMOTE CONTROLS, GRIPS



IA: EXCELLENT TACTILE FEEDBACK IX: COMPACT PUSHBUTTONS WITH BACKLIGHTED LOGOS

• Dustproof: Membrane on top with no gap between actuator and • Sealed up to IP67 panel

- Frost, sand and hydrocarbon resistant
- Flush on panel
- SIL2/Pld capable
- Available with backlit marking • Dustproof: Membrane on top with no gap between actuator and panel
- Frost, sand and hydrocarbon resistant
- Flush on panel
- Sealed up to IP67/IP69K
- SIL2/Pld capable

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IA	1.000.000 cycles	N/A	NO+NC	2A 24VDC	Ø16 mm (.629)	Flying leads	Panel	IP65, IP67	No
IX	1.000.000 cycles	N/A	NO+NC	2A 28VDC	Ø12 mm (.472)	Solder lugs, wires	Panel	IP67; IP69K	Yes

IP, IZ SERIES

PUSHBUTTON SWITCHES FOR HARSH ENVIRONMENTS

TOP APPLICATIONS: GRIPS, MILITARY VEHICLES, TACTICAL HEADSETS



FRONT OR REAR MOUNTED PUSHBUTTONS WITH MANY VARIANTS

- Available with illumination Marking option
- Sealed up to IP67 • Momentary or latching
- Up to SIL2/Pld capable

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
IP	1.000.000 cycles	UL	1	5A 28VDC	Ø12 mm (.472)	Solder lugs, Quick connect, PCB, flying leads	Panel	IP67	Yes
ΙΖ	1.000.000 cycles	N/A	1	5A 28VDC	Ø16 mm (.629)	Solder lugs, Quick connect, PCB, flying leads	Panel, Vertical- Through hole	IP67	Yes

KH SERIES

PROTECTED ROCKER SWITCHES

TOP APPLICATIONS: DASHBOARDS ON MILITARY VEHICLES



PROTECT AGAINST ACCIDENTAL ACTIVATION

• Protected against accidental actuation • Illuminated versions • Customised laser etched legends • Up to IP68/IP69K MOUNTING OPTIONS MAXIMUM BUSHING TERMINAL MECHANICAL LIFECYCLES APPROVALS SEALING ILLUMINATION POLES SERIES **RATINGS** DIMENSIONS Solder lugs, quick-connect 36.8 x 21.08 mm KH 150.000 cycles N/A 1, 2 10A 24VDC Panel Yes

KL SERIES

LOCKING ROCKER SWITCHES

TOP APPLICATIONS: DASHBOARDS ON MILITARY VEHICLES



INTUITIVE UNLOCKING

- Patented locking system for safety application
- Iluminated versions

• Customised laser etched legends

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
KL	150.000 cycles	N/A	1, 2	10A 24VDC	36.8 x 21.08 mm	Solder lugs, quick-connect, screw	Panel	IP68, IP69K	Yes

PANEL SWITCHES

ES SERIES

HEAVY DUTY METAL SAFETY SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS




INDESTRUCTIBLE

• Sealed up to IP65, IP67 & IP69K

Compact body

- Complies with EN60947-5-1
- Impact resistant to IK10

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
ES	100.000 cycles	EN60947-5-1	2,3	1 A 24 VDC DC-14	Ø22 mm Ø28 mm	Solder lugs, PCB	Panel, Vertical- Through hole	IP65 IP67 IP69K	No



3500 SERIES

HIGH PERFORMANCE TOGGLE SWITCHES

TOP APPLICATIONS: MILITARY CONTROL PANELS



TOGGLES FOR DEMANDING APPLICATIONS

• High current rating • CECC 96201-004 approval • Easy to customised: finish, levers with or without locking MAXIMUM BUSHING TERMINAL MOUNTING MECHANICAL LIFECYCLES APPROVALS ILLUMINATION SEALING SERIES **POLES RATINGS** DIMENSIONS **OPTIONS** OPTIONS IP67 1,2 15 A 28 VDC Ø11,9 mm (15/32) Quick-connect, 3500 40.000 cycles CECC Panel No

MT SERIES

SEALED ROCKER SWITCHES

TOP APPLICATIONS: SEALED ERGONOMIC ELECTRICAL INTERFACE



ERGONOMIC SELECTORS

- Environmentally sealed (IP68)
- Multiple functions available

SERIES	MECHANICAL LIFECYCLES	APPROVALS	POLES	MAXIMUM RATINGS	BUSHING DIMENSIONS	TERMINAL OPTIONS	MOUNTING OPTIONS	SEALING	ILLUMINATION
МТ	100.000 cycles	N/A	1	4 A 30 VDC	Ø17,46 mm (11/16)	Solder lugs, PCB	Panel, Vertical- Through hole	IP68	No

DEFENCE GROUND EQUIPMENT

AV SERIES

RUGGED METALLIC PUSHBUTTONS

TOP APPLICATIONS: MILITARY CONTROL PANELS



mec **MULTIMEC 5 SERIES**

TACTILE PCB SWITCHES

TOP APPLICATIONS: DISPLAY PANEL FOR WEAPONS SYSTEMS



LARGE ACTIVATION SURFACE, SUITABLE FOR GLOVED-HANDS

Robust pushbutton Appealing aesthetics Stainless steel actuator and bushing Easily customisable: marking, illumination MAXIMUM BUSHING TERMINAL MOUNTING MECHANICAL LIFECYCLES APPROVALS SEALING ILLUMINATION SERIES POLES **RATINGS** DIMENSIONS OPTIONS OPTIONS Solder lugs, wires, cable ΑV 1.000.000 cycles N/A 1A 30 VDC Ø30 mm (1.18) Panel IP67 Yes

ABSOLUTE RELIABILITY AND FUNCTIONALITY

Front panel sealing to IP67 with different cap solutions			eliable : 10 million rength of actuatin IL-PRF-22885H re	g tested at twice (inc	erent haptic options luding quiet option)	
SERIES	POLES	FUNCTION	MAXIMUM RATING	MOUNTING OPTIONS	SEALING	MECHANICAL LIFE
Multimec 5	Single pole / Momentary	NO & NC/NO	50 mA - 24 VDC	Through hole or SMT mounting	IP67	10 million

QRM SERIES

REAR MOUNT LED INDICATORS

TOP APPLICATIONS: MILITARY VEHICLES, AVIONICS AND NIGHT VISION APPLICATIONS



REAR MOUNT NVIS LED INDICATORS

	 NVIS compliant with MIL standard 3009 Low profile body Able to mimic 12000X778 series toggle behind panel depth IP67 sealing Black finish 									
SERIES	PANEL CUT	MAXIMUM RATINGS	BEZEL FINISH	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLOUR				
QRM	6 mm 8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins, Wires	Fixed light, Bi-colour, Tri-colour (8 & 14 mm)	5 standard colours, 3 hyper bright colours, 6 super bright colours, 3 bi-colours 1 tri-colour				
QRM NV	8 mm 14 mm	2 VDC – 28 VAC/DC	Black or Anodized	Pins (8 mm only), Wires	Night vision	6 NVIS colours				

Q SERIES

PANEL MOUNT LED INDICATORS

TOP APPLICATIONS:

CONTROL TOWER, DASHBOARD, BELLY BOX CONTROLS & COMMUNICATION TOWERS AND RIGS



LARGE VARIETY OF SIZES AND COLOURS

• Wire	customisati	on available					
SERIES	PANEL CUT-OUT	MAXIMUM RATINGS	BEZEL STYLES	BEZEL FINISHES	TERMINAL OPTION	TYPE OF ILLUMINATION	LED COLOURS
Q	Ø6, 8, 10, 12, 14, 16, 19, 22, 25, 30	2VDC -220VAC	Prominent, Recessed & Flushed	Bright Chrome, Black, satin Grey & Anodized colours	Solder lugs, Fastons, Pins, Wire	Fixed light, bi-colour, RGB, night vision	6 standard colours, 6 superbright colours, 4 hyperbright colours

NV SERIES

NAVIGATOR SWITCHES

TOP APPLICATIONS:

SCREEN NAVIGATION, UNMANNED AIRCRAFT SYSTEMS / DASHBOARD



NAVIGATOR SWITCHES FOR EASY AND ACCURATE MENU SELECTION

16 mm cut-out4 directions and validation in centre				Excellent tactile feedback				
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING	
NV	1 million		1, 2	Switching	Single	Drop-in	IP69K	

TS SERIES

PROPORTIONAL HALL EFFECT THUMBSTICKS

TOP APPLICATIONS:

ROBOTICS CONTROL, UNMANNED AIRCRAFT SYSTEMS, DRONES



INTUITIVE METHOD OF CONTROL

- Illuminated version available
- Ergonomically designed for repetitive operation over extended periods
- Highly reliable: up to IP67 and IP69K sealing
- Easy integration with rear

SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING
TS	1 million		1, 2	Hall effect	Single, Dual, Analog	Drop-in or Rear mounting	IP67

CW SERIES

PROPORTIONAL THUMBWHEELS

TOP APPLICATIONS: GRIPS & REMOTE CONTROL FOR DRONES



SMALL ENVELOPES FOR ERGONOMIC CONTROLLER

Up to 3 million lifecycles Snap-in mounting				Custom actuator on request Spring to centre				
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING	
cw	3 million	Spring to centre	Single	Hall effect	Single, Dual, Analogue, PWM	Snap-in	Sealed electronics	

HR / TW SERIES

PROPORTIONAL THUMBWHEELS

TOP APPLICATIONS: GRIPS



ROBUST THUMBWHEELS

• Hall effect technology for long life performance • Friction, detents & backlit options available • Electronics sealed up to IP67 • Different types of actuators MECHANICAL LIFECYCLES OUTPUT OPTIONS MOUNTING OPTIONS SERIES ERGONOMICS AXIS TECHNOLOGY SEALING Friction hold HR Spring to centre Single, Dual, Analogue Hall effect 5 million Spring to centre Drop-in

IP DESKTOP SERIES

USB DESKTOP CONTROLLERS

TOP APPLICATIONS: UAV, SECURITY, CCTV, SURVEILLANCE



DESKTOP CONTROLLERS FOR VIDEO SURVEILLANCE

3 axis joysticks for P/T/Z control Programmable pushbuttons				USB 1.1 HID compliant For indoor environment				
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING	
IP Desktop	3 million	3 axis joystick & 12 pushbuttons	3	Hall effect	USB	NA	NA	

3000 SERIES

FINGERTIP HALL EFFECT JOYSTICKS

TOP APPLICATIONS: FORWARD LOOKING INFRARED RADARS, THERMAL IMAGING



ROBUST FOR MILITARY APPLICATIONS

All metal mechanism		• IP66 sealing			Rated for 10 million lifecycles			
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING	
3000	10 million	Spring to centre	1, 2, 3	Hall effect	Single, Dual, Analogue, PWM, CAN bus	Drop-in or rear mounting	IP66	

JOYSTICKS

FG SERIES

FIXED GRIP HAND CONTROLLERS

TOP APPLICATIONS: TURRET CONTOL



RUGGED OPERATION FOR HIGH VIBRATION APPLICATIONS

Rugged hand operationCustom configurable				USB output options Protected index trigger				
SERIES	MECHANICAL LIFECYCLES	ERGONOMICS	AXIS	TECHNOLOGY	OUTPUT OPTIONS	MOUNTING OPTIONS	SEALING	
FG	Depends on component configuration	NA	NA	Depends on customisation	USB, Analogue, CAN bus	Panel	IP65*	





RUGGEDISED MILITARY KEYBOARD

CONTROL SYSTEMS FOR HARSH ENVIRONMENTS

TOP APPLICATIONS: VEHICLE KEYBOARDS



PRODUCT FOR THE TOUGHEST ENVIRONMENTS

communication, built-in tests or power electronics

• Integration of multiple components including impact resistance and finger guide to be used with gloves MULTI FUNCTION CONTROL PANEL Critical electronic and software design expertise Meets critical military specifications such as MIL, STANAG, GAM... Answers to sealing demands: IP65, IP68, IP69K Standard communication protocols including CAN, USB, RS422, RS485... Uniform backlighting option

KP6 CANBUS SERIES


RUBBER KEYPADS

TOP APPLICATIONS: DASHBOARD



STANDARD SOLUTION FOR MULTIPLE BUTTON APPLICATIONS

	Customisable keys Backlit pictograms			out or standard on les	• EMC shielded/ESD – Passed «E» marking (ECE R10 approved)		
SERIES	SEALING	OPERATING VOLTAGE	COMMUNICATION PROTOCOL	MOUNTING	EXTRA FEATURES	STANDARD 6 BUTTON KEYBOARD	
						IP65 sealing - option for IP67 and IP69K	
VP0 041 PU0	. 1007	40. 041/00		Can J1939 and option for CAN Open			
KP6 CANBUS	or discrete mounting phantom marking/	9 V to 36 V operating voltage					
						Easy front mounting, with snap-in / flush design	



APEM develops complete interface solutions combining components (switches, keypads, indicators, joysticks), standard electronic boards and programming. An APEM team professional is happy to assist you in the development of these complete turnkey solutions, meeting your specific requirements, with responsiveness and flexibility.







1,400 EMPLOYEES WORLDWIDE

■ 50,000 + PART NUMBERS

WORLDWIDE SALES & CUSTOMER SUPPORT

Reference Stranghal Sth Floor, Tower 2, Enterprise Centre, No.209 Gong He Road, Shanghai, 200040, P.R.C Tel: +86 21 6076 1355

JAPAN IDEC Corporation 2-6-64 Nishimiyahara, Yodogawa-ku, Osaka, Japan 532-0004 apem-sales@jp.idec.com

31 Tannery Lane Singapore 347788 Tel: +65 6746 1155

Belgicastraat 7/1 1930 ZAVENTEM Belgium Tel B: (+32) 27 25 05 00 be.sales@apem.com

82303 CAUSSADE Cedex Tel: (+33) 5 63 93 14 98

Gewerbehof Giesing Paulsdorfferstr. 34, 2. OG D-81549 MUNICH Tel: (+49) 89 45 99 11 0 de.info@apem.com

Via Savigliano 6/B 12062 CHERASCO (Fraz. Roreto di Cherasco) Tel: (+39) 0172 74 31 70 apem.italia@apem.com

Torshamnsgatan 39 S-16440 KISTA Tel: (+46) 8 626 38 00

UNITED KINGDOM

Drakes Drive LONG CRENDON, Bucks HP18 9BA England Tel: (+44) 1 844 202400 uk.sales@apem.com

MORE THAN 130 DISTRIBUTORS WORLDWIDE

in Follow us on Linkedin Follow us on Youtube



apem.com

