



MEC switches

PRODUCT GUIDE

SWITCHING TECHNOLOGIES, OUR CORE BUSINESS

ORGANIZED IN 3 BUSINESSES, APEM'S HMI SOLUTIONS ARE DESIGNED,
FULLY TESTED AND QUALIFIED FOR DEMANDING APPLICATIONS.
THEY GUARANTEE THE HIGHEST LEVEL OF ROBUSTNESS AND RELIABILITY
TO MEET INTERNATIONAL STANDARDS.

COMPONENTS

Toggle, pushbutton, rocker, slide, tact and rotary switches, industrial controls, LED indicators, for panel or PCB: APEM offers the broadest range in these switch markets.



JOYSTICKS

Easy to operate and highly reliable, APEM joysticks are suitable for all size and shape requirements from thumb and finger operation to full hand grip products.



PANEL SOLUTIONS

Relying on APEM's already qualified product ranges and mastery of the main panel technologies, the teams are able to design complete and fully customized HMI solutions for customers.



MORE THAN JUST A SWITCH

IF YOU ARE LOOKING FOR PCB SWITCHES THAT CAN MEET YOUR HIGH DEMANDING NEEDS FOR FINE DESIGN AND RELIABILITY, THEN YOU HAVE ARRIVED IN THE RIGHT PLACE.

MEC SWITCHES, APEM'S HIGH PERFORMANCE TACTILE SWITCHES ARE SO MUCH MORE THAN JUST TACT SWITCHES.



> MODULAR

ONE FOOTPRINT, ABUNDANT DESIGN OPTIONS.

> VERSATILE

OVER 2000 STANDARD OPTIONS WITHIN THE CAP AND ACCESSORY RANGE.

> RELIABLE

NOT JUST LONG LIFETIME OR ROBUST OR SEALED - THE SWITCHES ARE THE WHOLE PACKAGE.

> NORDIC

WE ADD A TOUCH OF DANISH DESIGN TO THE COMPONENT INDUSTRY.



STANDARD CAP SELECTION	6	SIMPLIFY THE USER EXPERIENCE WITH MARKINGS	14
ROUND			
STANDARD CAP SELECTION	7	GIVE A PERSONAL TOUCH WITH DIFFERENT MATERIALS	15
SQUARE/RECTANGULAR			
STANDARD CAP SELECTION	8	PARTNER UP FOR A NEW CAP	16
OTHER SHAPES			
STANDARD CAP SELECTION	8	SWITCH SELECTION	17
ACCESSORIES			
STANDARD CAP SELECTION	8	OLDIE BUT GOODIE UNIMEC	18
MODULES			
NAVIGATE A UNIT OR A DISPLAY WITH A NAVIGATIONAL SOLUTION	9	THE GO-TO SWITCH MULTIMEC	19
QUICK STATUS FEEDBACK WITH ILLUMINATION	10	WHEN GOOD IS NOT ENOUGH THE STORY OF MULTIMEC	21
DO NOT COMPROMISE FINE DESIGN IN A DEMANDING ENVIRONMENT	11	NEW KID ON THE BLOCK ULTRAMEC	22
EXTRA RELIABILITY FOR SOLUTIONS UNDER AN OVERLAY	12	FIND A PARTNER IN MEC	23
MAKE IT INTUITIVE WITH COLOR	13	BEHIND THE SCENES	24

STANDARD CAP SELECTION

ROUND

NON-ILLUMINATED



1SS

Varimec R

10G

10U

10S

Ø6.5mm
h=8.0-22.5mm
5E

Ø5.2; 7.8; 11.6mm
h=10.4-22.5mm
3E

Ø11.5mm
h=4.9mm
6C

Ø11.5mm
h=7.5mm
6C

Ø8.0mm
h=7.5mm
6C

NON-ILLUMINATED AND ILLUMINATED



10AQS+AQW

1JS

1GAS

1GCS

1Z

Aquamec

10C

10ZC

10X

Ø14.3mm
h=12.0-23.0mm
sealed to IP67
5G

Ø9.6mm
h=10.4mm
5G

Ø11.0mm
h=12.5mm
5G

Ø15.0mm
h=12.5mm
5G

Ø29.5mm
h=12.0
5E/5G

Ø10.6mm
h=24.2-27.2mm
sealed to IP67
5G

Ø19.2mm
h=13.7mm
5G

Ø9.58mm
h=7.6mm
sealed to IP67
6C

Ø22.0mm
h=13.9-15.4mm
5G



1DS

1US

1ZCS

1ZW

10R/10RF

Navimec

10D

Ultravimec

Ø9.6mm
h=14.9mm
5G

Ø10.6mm
h=14.9mm
sealable to IP67
5G

Ø14.3mm
h=11.7mm
5G

Ø29.5mm
h=12.3
sealed to IP67
5E/5G

Ø30.0mm
h=12.6/11.0 mm
sealable to IP67
5G

Ø34.25mm
h=12.2mm
5G

Ø16.0mm
h=12.0mm
sealable to IP67
5G

Ø22.14mm
h=7.15mm
sealed to IP67
6C

ILLUMINATED



1IS

1LS

1ES

1FS

10RM

Ø6.5mm
h=10.4-22.5mm
5G

Ø6.5mm
h=12.0-22.5mm
5G

Ø9.6mm
h=14.9mm
5G

Ø9.6mm
h=14.9mm
5G

Ø30.0mm
h=11.0mm
sealed to IP67
5G

SQUARE/RECTANGULAR

NON-ILLUMINATED



1ZA	1M	Varimec S	16300	16700	10T
18.65 x 10.1mm h=12.2mm 5G	25.0 x 10.1mm h=12.2mm 5G	5.2; 7.8; 11.6mm h=10.4-22.5mm 3E	6.0 x 12.3mm h=16.9mm 15XXX	14.9 x 14.9mm h=14.6mm 15XXX	11.5 x 11.5mm h=7.5mm 6C

NON-ILLUMINATED AND ILLUMINATED



1PS	1A	1TS	1KS	1XS	1B+ 2C/2D	10Q
12.5 x 6.5mm h=15.7mm 5E/5G	12.5 x 10.1mm h=12.2mm 5G	10.6 x 10.6mm h=14.9mm sealable to IP65 5G	14.3 x 14.3mm h=19.1mm 5G	7.4 x 9.4mm h=18.5mm 5G	15.1 x 15.1mm h=12.2mm 5G	22.0 x 22.0mm h=11.0mm sealable to IP65 5G

ILLUMINATED






1QS/1RS	1H	10QM	1KBS	1KCS	1YS/1YAS
12.5 x 6.5mm h=15.7mm 5G	12.5 x 10.1mm h=12.2mm 5G	22.0 x 22.0mm h=11.0mm sealable to IP65 5G	14.3 x 14.3mm h=20.2mm 5G	14.3 x 14.3mm h=20.2mm 5G	15.0 x 15.0 mm h=12.5mm 5E





OTHER SHAPES

NON-ILLUMINATED	NON-ILLUMINATED AND ILLUMINATED					
						
10V	1NS	10A	1WDS	1VS	1WAS	1WPS
11.5mm h=7.5mm 6C	Ø9.6/ 13.3 x 11.0mm h=14.9mm 5G	28.0 x 10.6mm h=12.15mm sealed to IP67 5E	8.0 x 15.2mm h=14.9mm	10.4 x 13.25mm h=14.9mm sealable to IP65 5G	6.5 x 12.5mm h=14.9mm 5G	6.5 x 12.5mm h=15.7mm 5G

ACCESSORIES

NON-ILLUMINATED	NON-ILLUMINATED AND ILLUMINATED	
		
2SS	16310-16315	16324-16327
extender 5.0 - 10 mm	bezel up to 4 LEDs 15.1 x 15.1mm	bezel up to 2 lenses 15.1 x 15.1mm

MODULES

			
Single switch module	Navimec	Controlmec	Rockermec

NAVIGATE A UNIT OR A DISPLAY WITH A NAVIGATIONAL SOLUTION

When navigating a machine or display, your eyes are focused on the object and not on the control panel, which means the controls themselves have to be easy and intuitive to use.

It can be a traditional unit - 2 directional (Rockermec) or 4 directional with a confirmation in the middle (Navimec and Controlmec).

However, it can also be something unique. With the help of our round, square and triangular caps, you can design a panel that fits your exact needs.




Navimec	Controlmec	Rockermec	1TS/US/VS	1NS	10T/10U/10V	Ultravimec

QUICK STATUS FEEDBACK WITH ILLUMINATION

In a dark environment, safety critical or any other application, illumination is an excellent way to make your control panel more intuitive to use. It can be used to guide the user, give status feedback, point out the safety functionalities or just add a fine touch to the control panel.

There are many options to consider and choose from when it comes to illumination.

Choose from a single, bicolor or RGB; color and intensity; consistent or blinking; spot, full or legend illumination; status light in the bezel or perimeter light to guide the finger. There is even an NVIS option for the military market.



5G



ZCS



10C



1FS



10RM




1KS



1IS



1YAS



1B + 2D



Designmec

DO NOT COMPROMISE FINE DESIGN IN A DEMANDING ENVIRONMENT



For years, high technical requirements have meant rough looking components, but no more. The MEC range allows for panel sealed robust solutions with a fine look and feel. The solutions we offer are compact and customizable by color, illumination and markings.

The modular system of the product range provides the opportunity for designing the same control panel with or without the sealing, allowing you to be flexible in your production.



Controlmec 12W



Rockermec 10A



Ultranavimec



10Q/10QM



10R/10RF/10RM



1TS



1US



1VS



10ZC




10D

EXTRA RELIABILITY FOR SOLUTIONS UNDER AN OVERLAY

The benefit of using a MEC switch under an overlay is that when the overlay wears down and breaks, the switch is sealed and therefore still operational.

Furthermore, it allows for more interesting design by making it possible to add various versions of illumination.



1JS



1YS/1YAS



3C



1SS



1GAS



MAKE IT INTUITIVE WITH COLOR



Color of the keycaps is an excellent way to differentiate your control panel. It can be a way to indicate safety critical functions, make operating easier or bring out your corporate colors.

Colors can help give character to your application - they can make it playful, warm, they can make it exclusive and high-end.


It isn't just the color of the cap or illumination one can choose but also the color of the lenses, hard paint and legends.

BE CREATIVE AND MAKE YOUR PANEL STAND OUT

SIMPLIFY THE USER EXPERIENCE WITH MARKINGS

Adding markings to your functions is a foolproof way of simplifying your user experience.

It can be text or a symbol; single or multi color; positive or negative print; matte, shiny or glow in the dark for battery powered applications.



MEC OPTIONS:

	PAD PRINT	UV PRINT	LASER EDGED
ABRASION	★☆☆	★★★	★★★★
COLORS	Single	Multi	Single or bicolor
COST	★★★	★★★	★★★★

CONFUSED BY THE PLENTIFUL OF OPTIONS?

See our webinar
on how to make
your pick

ABRASION TEST:

Pad printed:



UV printed:



GIVE A PERSONAL TOUCH WITH DIFFERENT MATERIALS

You want to stand out, give a unique and exclusive user experience.

You want to match the control panel with the front panel material or it can be for safety reasons, so the control panel can handle the environment it is placed in.

Whatever the reason, it is worth considering other options besides the standard ABS and polycarbonate.



WHAT CAN I DO?

Here are some options for your inspiration

DESIGNMEC

Pick your own deco piece material

Soft paint - give the cap a soft rubber feeling

Metal look - add a Chrome coating for a cool modern feel

Different type of plastic



PARTNER UP FOR A NEW CAP



Sometimes standard options will not do.

It can be that your application has an odd shape or height, or you are looking for something unique. Whatever your reason, we can help you with a tailor-made solution.

All the production processes for MEC switches are in-house, which means that we can be very flexible and quick when providing prototypes and arranging production of the final product.

Furthermore, we have the largest standard accessory range for tactile switches on the market - we know how to build new solutions.

Want to know what it feels like to partner up with MEC for a custom project?


See our video with Jeremy from APEM UK Sales, who has a wealth of custom projects under his belt.




NEED HELP COMING UP WITH QUICK PROTOTYPES?



See our webinar for some useful tips and tricks.



SWITCH SELECTION




	Unimec 154xx	Multimec 3C	Multimec 3E	Multimec 3F	Illumec 4F	Multimec 5G	Multimec 5E	Ultramec 6C
Measurements	12.6 x 12.6 mm h=15.7mm	10 x 10 mm h=6.4mm	10 x 10 mm h=6.4mm	10 x 10 mm h=10.4mm	10 x 10 mm h=10.4mm	10 x 10 mm h=6.4mm (illuminated 8.5mm)	10 x 10 mm h=6.4mm	8 x 8 mm h=2.5/ 3.5 mm
Specifications	TH 8 contact functions (NO & NC) Momentary or latching 5 million cycles IP54 sealing Travel 1.8mm	TH, SMD or TH RAS Single pole momentary switch NO 10 million cycles IP67 sealing Travel 1.0mm	TH, SMD or TH RAS Single pole momentary switch NO 10 million cycles IP67 sealing Travel 1.0mm	TH, SMD or TH RAS Single pole momentary switch NO 10 million cycles IP67 sealing Travel 1.0mm	TH or SMD Single pole momentary switch NO 10 million cycles IP67 sealing Travel 1.0mm	TH, SMD or non-ill. TH RAS Single pole momentary switch NO or NC/NO 10 million cycles IP67 sealing Travel 1.0mm	TH, SMD or TH RAS Single pole momentary switch NO or NC/NO 10 million cycles IP67 sealing Travel 1.0mm	SMD Single or double pole momentary switch NO up tp 3 million cycles IP67 sealing Travel 0.3 mm

OLDIE BUT GOODIE UNIMEC






Do you need redundancy?

This switch comes packed with 8 contact function possibilities. It has a long lifetime and can be either momentary or latching.




TECHNICAL FEATURES


- 10 x 10
- h=15.7 mm
- IP54
- 1,000,000 cycle-lifetime
- 8 functions
- through-hole terminals
- single pole or 2-pole




1 make
contact




1 break
contact




1 change
over contact




2 make
contact




2 break
contact



2 change
over contact




2 make and
2 breakct



reverse
polarity

THE GO-TO SWITCH MULTIMEC



Did you know that a grown man can stand on a Multimec switch and it will still function normally afterwards?

Multimec switch series is the whole package - in one footprint and size, you get sealing to IP67, lifetime of more than 10 mil activations, NC/NO function option, and possibility for integrated LEDs.

All of that with a large selection of standard keycaps and accesories making this modular series one of the most versatile tactile switch series on the market.


MULTIMEC 3 SERIES

TECHNICAL FEATURES


- 10 x 10 mm
- h=6.4 mm
- IP67
- 10,000,000 cycle-lifetime
- NO
- TH, SMD or TH RAS
- single pole
- integrated 3 mm LED option




3C for under overlay or over-molded solutions



3E for under overlay or with extenders for variable heights




3F for stability and for illuminated right angle switching




MULTIMEC 5 SERIES

TECHNICAL FEATURES

- 10 x 10 mm
- h=6.4 mm
- IP67
- 10,000,000 cycle-lifetime
- NO or NC/NO
- TH, SMD or non-illuminated TH RAS
- single pole
- integrated chip-LED option



ONE FOOTPRINT - MANY OPTIONS



WHEN GOOD IS NOT ENOUGH THE STORY OF MULTIMEC



MEC takes on a challenge

We do not back away from a challenge:
The story behind creating the NC/NO
function in the Multimec switch.



How is the quality guaranteed?

Multimec switches are produced on
automatic production lines with 100%
in-line testing.

Be assured in the quality assurance
process for Multimec switches by seeing
how we provide consistent quality for
these high performance switches.

NEW KID ON THE BLOCK ULTRAMEC

Ultramec is the smallest switch series with the brightest future in the MEC range.

Ultramec series includes two versions of the 6C switch a single pole version and a 2-pole version we call Dualmec.


However, the base is built to allow for new functionalities to come in the future to make Ultramec most versatile tactile switch on the market.



ULTRAMEC 6C

TECHNICAL FEATURES



- 8 x 8 mm
- h=2.5 mm
- IP67
- 3,000,000 cycle-lifetime
- NO
- J-bend terminals
- single pole



DUALMEC 6C

TECHNICAL FEATURES


- 8 x 8 mm
- h=3.5 mm
- IP67
- 1,000,000 cycle-lifetime
- NO
- J-bend terminals
- double pole



FIND A PARTNER IN MEC

We can also deliver complete PCB switch panels ready to be built into your control system.

APEM has many decades of experience building panel solutions for various markets. Partnering up for a MEC-based complete HMI means that you get a high quality and elegant solution that you can just plug and play.



WHY BUILD YOUR COMPLETE HMI WITH MEC SWITCHES?

Let our Project Manager
for Panel Solutions give you
the reasons.



BEHIND THE SCENES

MEC brand goes back all the way to 1938 when the radio industry was strong in Denmark. In 1975 the factory dropped all old products and instead set its engineers to work on new types of products - smaller switches for the printed circuit board.



The team responsible for producing MEC switches are all located in the suburbs of Copenhagen, Denmark. Product marketing, R&D, toolshop, stamping, molding, assembly, printing and quality departments are all next to each other making it easy to communicate about maintenance challenges, develop new products and work on custom projects.

Today the Danish factory produces over 10 million tactile switches a year. The assembly lines for the switches are fully automated and have a built-in quality check. This means that each and every switch leaving the factory has been tested.





NOT FINDING YOUR HMI ? LET'S DEVELOP IT TOGETHER !

With robust development processes, and with the support of experts in ergonomics and design, APEM offers a unique expertise in HMI customization. APEM engineers will recommend the best ergonomics, shape, marking, backlighting, material, waterproofing, connectors... in line with your expectations and environment.

Depending on your needs, APEM can recommend fully customized products ("customer exclusive") or a custom design with already qualified HMI components, joystick handles and joystick bases.

CONTACT US

WORLDWIDE SALES & CUSTOMER SUPPORT

USA

970 Park Center Drive
VISTA, CA 92081
Tel: (+1) 760 598 2518
info@apem.com

USA

10 New England Business
Center Drive, Ste 203
Andover, MA 01810
Tel: (+1) 978 372 1602
info@apem.com

CHINA

IDEC Shanghai
8th Floor, Tower 2,
Enterprise Centre,
No.209 Gong He Road,
Shanghai, 200040, P.R.C
Tel: +86 21 6076 1355
apem@apem.com.cn

JAPAN

IDEC Corporation
2-6-64 Nishimiyahara,
Yodogawa-ku, Osaka,
Japan 532-0004
apem-sales@jp.idec.com

SINGAPORE

IDEC Izumi Pte Ltd
08 Kallang Avenue, Tower 1,
Unit #13-09, Singapore 339509
Tel: +65 6746 1155
apem.apec@idec.com

BENELUX

Belgicastraat 7/1
1930 ZAVENTEM
Belgium
Tel B: (+32) 27 25 05 00
Tel NL: (+31) (70) 799 91 51
be.sales@apem.com

GERMANY

Gewerbhof Giesing
Paulsdorferstr. 34, 2. OG
D-81549 MUNICH
Tel: (+49) 89 45 99 11 0
de.info@apem.com

SWEDEN

Torshamnsgatan 39
S-16440 KISTA
Tel: (+46) 8 626 38 00
se.info@apem.com

FRANCE

55, avenue Edouard Herriot
BP1
82303 CAUSSADE Cedex
Tel: (+33) 5 63 93 14 98
fr.commercial@apem.com

ITALY

Via Savigliano 6/B
12062 CHERASCO
(Fraz. Roreto di Cherasco)
Tel: (+39) 0172 74 31 70
apem.italia@apem.com

UNITED KINGDOM

Drakes Drive
LONG CRENDON,
Bucks HP18 9BA
England
Tel: (+44) 1 844 202400
uk.sales@apem.com

MORE THAN 130 DISTRIBUTORS WORLDWIDE

Complete list available on apem.com



Follow us on LinkedIn



Follow us on Youtube

apem.com



APEM
an IDEC company